






OUR SPECIALITY TILES





















MARBLE LOOK



EVER INSPIRING



AVAILABLE SIZES

FEATURES



RESISTANT*



FIRE RESISTANT



GERM-FREE OPTION



HIGHLY DURABLE



FROST **PROOF**





FLOOR



PHASES **AVAILABLE**

SURFACE FINISHES



GLOSSY



SATIN




POLISHED



ROCKER







HAWAI WHITE








COSMIC OS MA BR









SCORPIAN TAUPE







BRATVI ANTHRACITE







ARBESCATO WHITE








OLGA STATUARIO





ATLANTA CARARA









CALACATTA GOLD











HAIL STATURIO





OPTIC GOLD RANDOM PHASES










ALINE CALCUTTA

RANDOM PHASES







ONYX HAWAI BIANCO

RANDOM PHASES



RIVER STATURIO



RANDOM PHASES EMBER STATURIO



TAURUS BIANCO RANDOM PHASES



VERSATILE WHITE RANDOM PHASES







ANTIQUE LIGHT BLUE

RANDOM PHASES









WARM YELLOW

LIGHT GREEN

WARM BLUE











GREECE LIGHT

RANDOM PHASES







JACOX WHITE

RANDOM PHASES





GREY



SILVER

LIGHT BEIGE











BOSTON SILVER

RANDOM PHASES





WARM GREY

DARK BEIGE







RANDOM PHASES

ARMANI BIANCO

1 (1 (1)) (1) (1) (1)








WARN GREY

LIGHT BEIGE







RANDOM PHASES

ONYX WAVE GREY







LIGHT BLUE



WARM YELLOW

MARBLE

MARBRE







RANDOM PHASES

FABBLE BIANCO

FADDLE DIANCC







LIGHT GREY

LIGHT BEIGE


DARK BEIGE











RANDOM PHASES

NIFTY BIANCO







DARK BEIGE



CAMEL



BOFFON SILVER












GREY

WARM GREY

RUSH GREY

LIGHT BEIGE







ARDESIA LT GREY

RANDOM PHASES







LIGHT GREY

LIGHT BEIGE











COSTA BIANCO







LIGHT BEIGE

LIGHT GREEN


LIGHT BLUE











RANDOM PHASES ECHO CREMA





WARM GREY

DARK BEIGE







SAMARA LT GREY



GREY

WARM GREY



LIGHT DARK BEIGE BEIGE











RANDOM PHASES RETRO ONYX GOLD







SILVER

GREEN

LIGHT BLUE











TROUT RUSH GREY







SILVER

HAZELNUT







JETTO TAUPE

WARM GREY



TAUPE



LIGHT BEIGE



DARK BEIGE



ARMANI WARM GREY

RANDOM PHASES









LIGHT GREY

HAZELNUT







PASSION PULPIS TAUPE

RANDOM PHASES










GREY GREY

LIGHT

BEIGE











RANDOM PHASES

CHAMPION RUSH GREY







CAMEL



WARM GREY

ANTHRACITE

HAZELNUT











BAGUNI CAMEL









SILVER

TAUPE

ANTHRACITE

HAZELNUT











RANDOM PHASES

ANANT CRAFT ANTHRACITE









DARK CAMEL BEIGE






WOOD LOOK



TIMELESS ELEGANCE



AVAILABLE SIZES

FEATURES



SCRATCH RESISTANT*



FIRE RESISTANT



GERM-FREE OPTION



HIGHLY DURABLE



FROST PROOF



RECTIFIED



WALL & FLOOR



RANDOM PHASES AVAILABLE



8-9 MM 8.5 MM

SURFACE FINISHES



GLOSSY



ROCKER



MATT





BLOWOOD BROWN

RANDOM PHASES





RANDOM PHASES OAK WOOD NATURAL



TEAKWOOD





DAHOMA WOOD RANDOM PHASES





CLASSIC OAK RANDOM PHASES



WOOD COZY RANDOM PHASES



ASTRIUN PINE RANDOM PHASES



FINLAND BEIGE RANDOM PHASES



ACACIA WOOD RANDOM PHASES



BALSA WOOD RANDOM PHASES

60X120



ZIG ZAG WARM BEIGE RANDOM PHASES



60X60







YEW WOOD RANDOM PHASES






CEMENT LOOK



EXCELLENT GRACE



AVAILABLE SIZES

FEATURES









GERM-FREE OPTION



HIGHLY **DURABLE**



PROOF



RECTIFIED



SKID RESISTANT



FLOOR



FLOOR



PHASES **AVAILABLE**



8-9 MM 8.5 MM *10 MM

#NO RANDOM PHASES

SURFACE FINISHES



GLOSSY



GLOSSY



SATIN



POLISHED



ROCKER



DIAMOND MATT




MATT





THAR SILVER



RANDOM PHASES











MARICI BIANCO

RANDOM PHASES





GREY



GREY

LIGHT


BEIGE



ANTHRACITE







PERIDOT GRIS











DARK BEIGE







RANDOM PHASES



CONCRETA WHITE



BIANCO

ANTHRACITE







RANDOM PHASES

CENTURY BIANCO

LIGHT BEIGE



ANTHRACITE

CEMENT

CIMENT







RANDOM PHASES















LIGHT GREY

TAUPE

ANTHRACITE

LIGHT BEIGE

CAMEL







PANAMA LT BEIGE



WHITE





LIGHT GREY



TAUPE



LIGHT BEIGE



CAMEL







STONE CEMENT WARM GREY

RANDOM PHASES









WHITE

SILVER

LIGHT GREY

RUSH GREY







OCEAN SILVER

RANDOM PHASES














ANTHRA

LIGHT BEIGE

HAZELNUT







CARINA TAUPE RANDOM PHASES





BIANCO

RUSH GREY







NECTAR BIANCO RANDOM PHASES









SILVER

WARM GREY

LIGHT BEIGE

DARK BEIGE







RANDOM PHASES

JAZZY DK BEIGE








HAZELNUT



DARK

BEIGE

TERRACOTTA







RANDOM PHASES

ADVENT LT GREY

SILVER



LIGHT GREY



RUSH GREY



LIGHT BEIGE




ANTHRACITE

CEMENT

CIMENT











AMAZON CEMENT GREY

RANDOM PHASES







TAUPE

ANTHRACITE DARK BEIGE







WISDOM TAUPE

RANDOM PHASES







SILVER

LIGHT GREY

BIANCO







CELIA TAUPE RANDOM PHASES





BIANCO SILVER







DEW RUSH GREY

RANDOM PHASES











SILVER

RUSH GREY

LIGHT BEIGE

DARK BEIGE

HAZELNUT











BRUSSELS WARM GREY

RANDOM PHASES









SILVER

LIGHT GREY

LIGHT BEIGE

DARK BEIGE











MILANO RUSH GREY

RANDOM PHASES









ANTHRACITE

SILVER

RUSH GREY

TAUPE





R10 A



RANDOM PHASES

CREST CAMEL









DARK

GREEN

TAUPE ANTHRACITE

RUSH GREY







RUDRA ANTHRACITE









WHITE

SILVER

LIGHT BEIGE

DARK BEIGE

CEMENT






STONE LOOK



CHARISMATIC APPEAL



AVAILABLE SIZES

FEATURES



SCRATCH **RESISTANT**



FIRE RESISTANT



GERM-FREE OPTION



HIGHLY DURABLE



FROST **PROOF**



RECTIFIED

R10



WALL & **FLOOR**



FLOOR



PHASES **AVAILABLE**



8.9 MM 8.5 MM 8 MM

SURFACE FINISHES



GLOSSY



ROCKER



MATT






ARENA RUSH GREY











TRAVERTINE







PORTOFINO WHITE









SILVER


GREY

WARM GREY

LIGHT BEIGE







GLAM ICE



LIGHT GREY



WARM GREY



LIGHT BEIGE







CLASSIC TRAVERTINO BEIGE

RANDOM PHASES



LIGHT BEIGE







ELAPSO NATURAL

RANDOM PHASES



BEIGE







DARK CAMEL

HAZELNUT







AVORIO GREY







WHITE

DARK BEIGE BEIGE







GRAVEL GREY





SILVER

GREY

TAUPE

ANTHRACITE







HELEN LIGHT GREY











WHITE

VI II I L

RUSH ANTHRACITE GREY







APPOLO GREY







WHITE SILVER

BIANCO











HEBE CREMA



BEIGE





CAMEL HAZELNUT







BRILIC BLANCO







LIGHT BEIGE



DARK BEIGE







BOXTON GRIS







DARK GREEN

LIGHT BEIGE

DARK BEIGE







CREMILO LT BEIGE







DARK BEIGE

HAZELNUT







ZION BIANCO










BEIGE

HAZELNUT







PERI WARM GREY



LIGHT GREY



LIGHT BEIGE



DARK BEIGE







LUSENA RUSH GREY



LIGHT



LIGHT

BEIGE



SILVER

GREY

DARK BEIGE







RANDOM PHASES

NECTAR DK BEIGE






CAMEL

HAZELNUT

STONE







ERA GLOW SILVER





BIANCO

TAUPE







HARMONY LT BEIGE

RANDOM PHASES







LIGHT BEIGE

DARK BEIGE

CAMEL







REALFEEL GLOW SILVER

RANDOM PHASES







ASH MONTE SILVER







BEIGE



DARK BEIGE

STONE







SAHARA SILVER RANDOM PHASES







BEIGE



RUSH GREY

IAUI

ANTHRACITE







S & P GREY







WHITE

SILVER

LIGHT BEIGE







TEXTURE LOOK



ELEGANCE EMPHASIZED







VOLCANO STONE DECOR WARM YELLOW

















NECTAR CREMA DECOR














S P SNOW SPRINKLE











ONERY BIANCO










SENTIENT SAND DECOR





SENTIENT ANTHRACITE DECOR











LIGHT GREY LINEA

RANDOM PHASES











ONERY SILVER DECOR

RANDOM PHASES



ONERY GREY DECOR







CENTURY ANTHRACITE DECOR

RANDOM PHASES





CENTURY SAND DECOR

CENTURY BIANCO DECOR



SAND STONE LT YELLOW

RANDOM PHASES







EMERY GREY RANDOM PHASES










SILVEF

LIGHT GREY

WARM GREY

TEXTURE

TEXTURE












ROMAN BELGIUM RANDOM PHASES





ROMAN RUSH GREY

ROMAN CARBON







RANDOM PHASES










S P SNOW LINEA











PERI LT GREY DECOR

RANDOM PHASES









WHITE

TAUPE ANTHRACITE







CREMILO LT BEIGE DECOR

RANDOM PHASES



DARK BEIGE









LUSENA GREY DECOR

RANDOM PHASES






DECOR LOOK



BOLD AND BEAUTIFUL






60X60



CUBOID



SUNBA NERO

20X20



HARMONY BEIGE DECOR



ERA GREY DECOR



ERA IVORY DECOR



ERA ASPIRE DECOR





MOSAIC LOOK



RELIVING NOSTALGIA








GRAVEL LT GREEN









RANDOM PHASES







WHITE SILVER











RANDOM PHASES


MALPENSA TERRAZO CAMEL





LIGHT BEIGE

DARK BEIGE



FOSSIL TERAZZO POSH GREY








SILVER

LIGHT GREY

WARM GREY







RANDOM PHASES

IRON TERRAZZO ANTHRACITE




TAUPE

HAZELNUT

SOLID LOOK



COLORFUL EXPRESSIONS



AVAILABLE SIZES

FEATURES



SCRATCH





GERM-FREE OPTION



HIGHLY DURABLE



FROST PROOF



RECTIFIED



RANDOM PHASES AVAILABLE

R10

SURFACE FINISHES







SATIN



POLISHED





FULL BODY



SUPER WHITE



SUPERB LT GREY



SAVAGE GREEN



SUPERB BLACK





IVORY COATED



GREY COATED





OUTDOOR LOOK



SPLENDID FUNCTIONALITY



AVAILABLE SIZES

FEATURES



SCRATCH **RESISTANT***



FIRE **RESISTANT**



GERM-FREE OPTION



HIGHLY DURABLE



FROST **PROOF**



FLOOR



SURFACE FINISHES














GALAXY GL LAVA



COATED GREY PLUS








PLAIN DONAPAULA

RANDOM PHASES



KREO GRIS







GALAXY MARBLE BR

RANDOM PHASES










KORNETO IVORY


RANDOM PHASES




BALI STONE NATURAL

RANDOM PHASES





WALL LOOK



SUBWAY

FEATURES



SCRATCH RESISTANT



MODULAR SIZE



FIRE RESISTANT



GERM-FREE OPTION



FROST PROOF



UNRECTIFIED





SURFACE FINISHES




GLOSSY




MATT




PUNCH



AVAILABLE SIZES



PLAIN



BEVEL + FRAME



PLAIN				
BEVEL				
FRAME				
WHITE	IVORY	OATMEAL	GRIS	ASH BLUE
PEWTER	FOG GREY	GRAPHITE	AQUA GREEN	GREEN

ROYAL BLUE NAVY BLUE FOREST GREEN BLACK



FUNCTIONALITY AT ITS PRIME












SOLAR REFLECTIVE TILES

ENDURA COOL ROOF SRI TILES: SOLAR REFLECTIVE

With we have devised a special process of glazing that makes the tiles reflect most of the solar heat. The special glaze is composed of Alumina silicate fine particles embedded with nano particles of zirconium silicate and zinc oxide admixtures, fired at a very high temperature. The result is tile surface having a Solar Reflectance Index (SRI) value above 90 (White Colour).

Endura Cool Roof Tile Size & Thickness



Endura Cool Roof SRI tiles are offered in satin matte finish that provides anti-skid surface making them safe and practical for terraces, roofs, pavements etc. They come in a convenient size of $30 \times 30 \, \text{cm}$ and thicknesses of $0.8 \, \text{cm}$, $1 \, \text{cm}$ and $2 \, \text{cm}$.

Benefits of Endura Cool Roof SRI:

- Reduce surface temperature upto 15° celsius.
- Improve indoor comfort.
- Reduce cooling requirement and save electricity.
- Reduce conduction of heat into the building.
- Reduce the "heat island effect" in cities.
- Reduction in global warming and saving of ozone layer.
- Endura Cool Roof SRI Tiles is a sensible choice for the buildings saving electricity and saving the environment.

Application Areas:


- Building roofs
- Balconies
- Exterior facades cladding
- Pavements

SPECIAL SPÉCIAL





^{* 2}cm thickness are available on made-to-order basis only.








TACTILE

Tactiles (also called truncated domes, detectable warnings, Tactile ground surface indicators, detectable warning surfaces) are unique non-fade, non-slip ground surface indicators. These indicators provide cues, which combines with other environmental information, assist visually challenged people with their orientation.

Tactile warnings provide a distinctive surface pattern of "truncated domes" (which are small domes that have had their tops cut off, or truncated) or "truncated bars" detectable by long cane or underfoot which are used to alert visually challenged people of their approach to streets and hazardous drop-offs-thereby alerting them of impending danger from oncoming vehicles or a change in path gradient.

Tactile ground surface indicators are an important and mandatory design element in all modern construction and public infrastructure projects. The Endura Hi-Traffic Tactile collection has been designed with emphasis on reliability, safety, dignity and independence for visually challenged people.



TAC BUTTON
METRO YELLOW



TAC BUTTON YELLOW



TAC BUTTON
TERRACOTTA



TAC LINER
METRO YELLOW



TAC LINER YELLOW



TAC LINER
TERRACOTTA

SPECIAL







TACTILE

Tactiles - Benefits & Features

- Specially designed to assist the visually impaired "Foot Braille".
- Special textures & colors for use as "Warning Floor Tile" located at areas of risk.
- Vitrified porcelain body suitable for exterior or interior application frost, heat and weather proof.
- Corundum finish for enhanced hardness and slip-resistance.
- Standardized designs which conform to with RNIB (The Royal National Institute for the Blind, UK), DETR (Department of the Environment, Transport and the Regions, UK) & ADA (Americans with Disabilities Act, USA).
- Two types of textures to suit a variety of applications.
- Colours that best represent areas requiring demarcation.
- Low water absorption, below 0.5% high strength and durability.
- High stain and chemical resistance.
- Four times more abrasive resistant than concrete or polymer based products.
- Support services: drawings / layouts etc.


Technical Characteristics

- Fully vitrified porcelain tile.
- Low water absorption, below 0.5%.
- Approved profiled tactile design.
- Approved size = 30cm x 30cm.
- Tac Button Profile thickness = 0.45cm.
- Tac Liner Profile thickness = 0.45cm.

- Corundum addition for Mohs hardness > 7.
- Excellent slip resistance.
- Very dense, durable and abrasion resistant.
- Solid through color fade proof.
- High chemical and stain resistance.

For Direction & Turning

Danger Zone



SPECIAL

SPÉCIAL






ANTI-STATIC TILE



ASC BLUE

Working of antistatic tiles



FEATURES	ADVANTAGES	BENEFITS
Surface Electrical Resistance – Conductive <1 Mega Ohm & Dissipative – 1 Mega Ohm to 1 Giga Ohm	Surface electrical resistance being the property of material decides the nature of product in terms of its charge conductance. Surface Electrical resistance as per ANSI norms ensures smooth transfer of accumulated static charge to grounding path.	Static hazard-free area resulting in smooth uninterrupted functioning of critical equipments. Helps in mitigating fire hazard from floor due to static charges.
Static decay Time – Conductive - <0.5 sec Dissipative - <0.5 sec	Static decay time as per ANSI norms ensure smooth discharge of accumulated static electricity from the surface.	Compliance with critical requirement of such sensitive areas. Static Hazard free area resulting in smooth uninterrupted functioning of critical equipments. Helps in mitigating fire hazards from floors due to static charges.
Firm & Effective Grounding of Floors	Vitrified anti-static tiles help provide firm and permanent grounding.	Assures Anti Static property throughout the service life of product.
60cm X 60cm Matt finish Asc Blue Tile	Bigger size offers lesser joints. Matt finish with anti-skid elegant floor in blue shade.	Customer benefitted by safe floor to meet industrial safety norms along with excellent aesthetic ambience.
Stain Resistance	Provides sufficiently good stain resistance property to effective maintain the matt finish floor. Being a glazed vitrified tile, the tile is virtually stain proof	Helps in maintaining good housekeeping norms.
Anti-Static Tiles Patented Product	In ceramic tile industry, whereas all products are insulators which are developed with a special patented product for their customers to address the specific concerns on ESD hazard.	Customer benefitted by the best and only product from ceramic industry which not only offers protection from ESD hazards but also provides excellent service life due to its mechanical properties.

SPECIAL








INDUSTRIAL - COLOUR TILE











RADIATION SHIELDING TILES

A protective shield to reduce radiation exposure from x-ray machines to the desired permissible level.





RADIATION SHIELDING TILES (RST):

Non Toxic, non-reactive, permanent radiation shielding, easy installation, cost effective

Size: 30 X 30 cm | Tiles: 12 mm thickness (=2mm Pb @ 100 kV) | Density: 3.9 g/cc

Color: White (glazed) & Terracotta (non glazed)

Currently Lead, Brick, Concrete and Steels are used as alternate shielding Material as recommended by AERB (Atomic Energy Regulatory Board), but most of them are not effective enough over a period, carcinogenic, expensive and difficult to handle.


Also long-time exposure to lead has been reported to cause anaemia, along with an increase in blood pressure, and that mainly in old and middle aged people. Severe damage to the brain and kidneys, both in adults and children, were found to be linked to exposure to heavy lead levels resulting in death. It is the second topmost hazardous material.

The Department of Health and Human Services (DHHS), Environmental Protection Agency (EPA), and the International Agency for Research on Cancer (IARC) have determined that lead is probably cancer-causing in humans.












POOL TILES

Our swimming pool tile range brings new variants for leisure, private and competition pools. The comprehensive range includes fittings, accessories, field tiles and tiles for steps & edges making it a complete pool solution. Hygienic and easy to maintain these tiles prevent germs and moss accumulation.












CLOUD LIGHT SKY



PEARL GLASS AZUL




PEARL FIN



PEARL ROYAL BLUE

SPECIAL

STEP & EDGES




Anti-Slip Tile Size : 24.4cm X 11.9cm

Code : E 1070 Colour : Ivory



Finger Grip with Safety Marking Size: 24.4cm X 11.9cm

Code : E 4070 Colour : Blue



Grooved Anti-Slip Tile With Safety Marking Size: 24.4cm X 11.9cm

Code : E 2070 Colour : Ivory

POOL FITTINGS



Internal Cove Size: 24.4cm X 4cm Code: P 1050 Colour: Orient Blue



External Angle
Size: 25cm X 5cm
Code: P 2050
Colour: Orient Blue



Internal Angles of
Wall-Floor Junction
Size: 4cm X 4cm
Code: P 6050
Colour: Orient Blue



Junction of 3

External Angles

Size: 4cm X 4cm

Code: P 4050

Colour: Orient Blue





External Angles of Wall-Floor Junction Size: 7.2cm X 7.2cm Code: P 5050 Colour: Orient Blue

Sizes & thickness of pool fittings are subject to change without prior notice. Kindly verify the actual sample before placing the order.




POOL FITTINGS - ASSEMBLY DIAGRAM






External

- 1. Internal Cove (P 1050)
- 2. External Angle (P 2050)
- 3. Junction of 3 External Angles (P 4050)
- 4. Internal Angles of Wall-Floor Junction (P 6050)




Top Internal Corner



Bottom External Corner

- 1. Internal Cove (P 1050)
- 2. External Angle (P 2050)
- 3. External Angles of Wall-Floor Junction (P 5050)







FULL BODY STAIRCASE TILES



SPECIAL

12 MM 15 MM 31x152 cm



SPÉCIAL